

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO But 1450 Alexandra, Virginia 22313-1450 www.waybo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/579,860	05/17/2006	Peter Helm	02798	8093		
987 SALTER & M	7590 09/01/2009 IICHAELSON		EXAM	INER		
THE HERITAGE BUILDING 321 SOUTH MAIN STREET			PELHAM, JOSEPH MOORE			
	AAIN STREET E, RI 029037128		ART UNIT	ART UNIT PAPER NUMBER		
			3742			
			NOTIFICATION DATE	DELIVERY MODE		
			09/01/2009	ELECTRONIC		

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ssullivan@saltermichaelson.com pblackwell@saltermichaelson.com gkelly@saltermichaelson.com

# Application No. Applicant(s) 10/579,860 HELM, PETER

Office Action Summary	Examiner	Art Unit				
	Joseph M. Pelham	3742				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address						
Period for Reply  A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D.  Extensions of time may be available under the provisions of 37 CFR 1.1 after SSI, 60 MOTH'S from the mailing date of the communication.  If NO period for reply is specified above, the maximum statutory period. Failure to reply within the soft or standard period for reply will by statute Any reply received by the Office later than three months after the mailing camed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this o D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 2a) This action is FINAL. 2b) This 3) Since this application is in condition for allowar closed in accordance with the practice under E	_ action is non-final. nce except for formal matters, pro		e merits is			
Disposition of Claims						
4) ☐ Claim(s) <u>1-3 and 5-20</u> is/are pending in the app 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) <u>1-4-20</u> is/are allowed. 6) ☐ Claim(s) <u>1-3 and 5-13</u> is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 17 May 2006 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	☐ accepted or b)☒ objected to l drawing(s) be held in abeyance. Sec ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 C				
Priority under 35 U.S.C. § 119						
12) ☒ Acknowledgment is made of a claim for foreign a) ☒ All b) ☒ Some * c) ☒ None of:  1.☒ Certified copies of the priority document 2.☒ Certified copies of the priority document 3.☒ Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National	Stage			
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Thromation Disclosure Statement(s) (PTO/95/06) Paper Nots/Mail Date 5/17/06.	4) Interview Summary Paper No(s)/Mail Di 5) Notice of Informal F	ate				

Application/Control Number: 10/579,860

Art Unit: 3742

#### Drawings

The drawings are objected to because the identifying labels should be in English. Moreover, the element numbers are informal and not consistently formatted: some are in boxes of various sizes and some are not. The shading tends to obscure the distinction between the piston and the water.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### Claim Rejections - 35 USC § 112

Claims 1-3 and 5-13 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, line 15, "the emptying" lacks sufficient antecedent basis.

In claim 11, line 3, the phrase "in particular" renders the claim indefinite because it is unclear whether the limitations following the phrase are part of the claimed invention. See MPEP § 2173.05(d).

In claim 12, line 6, "the piston" lacks antecedent basis.

#### Allowable Subject Matter

Claims 1-3 and 5-13 would appear to be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Claims 14-20 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph M. Pelham whose telephone number is 571-272-4786. The examiner can normally be reached on M-F 8:30 AM to 5:00 PM. Application/Control Number: 10/579,860 Page 3

Art Unit: 3742

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tu Hoang can be reached on 571-272-4780. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Joseph M. Pelham/ Primary Examiner, Art Unit 3742 8/25/09